

BLINGO 28-35W 6262CCT



UGR



BLINGO 28-35W 6262CCT	<b>37274</b>	max 35	3900 4200 4200	3000 3500 4000	90	<19	бял
BLINGO U29-35W 60CCT	<b>37277</b>	max 35	4040 4360 4260	3000 4000 6500	90	<19	бял
BLINGO U29-35W 120CCT	<b>37278</b>	max 35	4040 4360 4260	3000 4000 6500	90	<19	бял




BLINGO 28-35W 6262CCT




BLINGO U29-35W 60CCT




BLINGO U29-35W 120CCT



BLINGO 28-35W 6262CCT



BLINGO U29-35W 60CCT



BLINGO U29-35W 120CCT

Number	Current	Power	Switch position		Luminous flux		
			1	2	3000K	4000K	6500K
1	750mA	29W	-	-	3360	3620	3520
2	800mA	31W	ON	-	3580	3860	3780
3	850mA	33W	-	ON	3820	4120	4020
4	900mA	35W	ON	ON	4040	4360	4260

Date of issue: 16.10.2024, 10:55

Запазва се правото за въвеждане на технически промени. Данните, съдържащи се в този материал, не са правно обвързващи.

Фотометрия: резултати, получени по време на изпитване на дадения екземпляр.

