


Ofis S

Vestavné LED svítidlo




 220-240 AC	 50	 ≥30000	 50000	 Ra 80	
 DALI	 IP 20		 5÷25		
 1,5÷2,5	 0,5m				



OSD RX B P1

Vestavné LED svítidlo




Model	Art. No.	Ø [mm]	lm	Tc [K]	TYPE	α [°]	Color
OSD-H8D-NW-RX-B-P1	37227	47	5600	4000	rastr	80	černá
OSD-H8D-NW-RX-W-P1	37215	47	6250	4000	rastr	80	bílá
OSD-H8D-WN-RX-B-P1	37223	47	5450	3500	rastr	80	černá
OSD-H8D-WN-RX-W-P1	37211	47	6100	3500	rastr	80	bílá
OSD-H8D-WW-RX-B-P1	37219	47	5300	3000	rastr	80	černá
OSD-H8D-WW-RX-W-P1	37207	47	5950	3000	rastr	80	bílá
OSD-L8D-NW-RX-B-P1	37225	31	3900	4000	rastr	80	černá
OSD-L8D-NW-RX-W-P1	37213	31	4400	4000	rastr	80	bílá
OSD-L8D-WN-RX-B-P1	37221	31	3850	3500	rastr	80	černá
OSD-L8D-WN-RX-W-P1	37209	31	4300	3500	rastr	80	bílá
OSD-L8D-WW-RX-B-P1	37217	31	3750	3000	rastr	80	černá
OSD-L8D-WW-RX-W-P1	37205	31	4200	3000	rastr	80	bílá
OSD-M8D-NW-RX-B-P1	37226	40	4900	4000	rastr	80	černá
OSD-M8D-NW-RX-W-P1	37214	40	5500	4000	rastr	80	bílá
OSD-M8D-WN-RX-B-P1	37222	40	4800	3500	rastr	80	černá
OSD-M8D-WN-RX-W-P1	37210	40	5400	3500	rastr	80	bílá
OSD-M8D-WW-RX-B-P1	37218	40	4650	3000	rastr	80	černá
OSD-M8D-WW-RX-W-P1	37206	40	5250	3000	rastr	80	bílá
OSD-S8D-NW-RX-B-P1	37224	22	2850	4000	rastr	80	černá
OSD-S8D-NW-RX-W-P1	37212	22	3250	4000	rastr	80	bílá
OSD-S8D-WN-RX-B-P1	37220	22	2800	3500	rastr	80	černá
OSD-S8D-WN-RX-W-P1	37208	22	3150	3500	rastr	80	bílá
OSD-S8D-WW-RX-B-P1	37216	22	2750	3000	rastr	80	černá
OSD-S8D-WW-RX-W-P1	37204	22	3050	3000	rastr	80	bílá

- Materiál korpusu: kov
- Materiál difuzoru: plast




OSD RX W P2



OSD RX B P1

Ofis S

Vestavné LED svítidlo



OSD RX P1

