

## HIERRO

### LED-Longfieldleuchte










 220-240 AC	 50	 ≥30000	 50000	 Ra 80	
 DALI		 IP 20		 5÷25	
 0,5÷2,5		 0,5m			



HRD-LL-WW-W-PT

## HIERRO

### LED-Langfeldleuchte

								
HRD-LL-WW-W-PT	<b>37075</b>	23	3000	raster	X60/Y60	weiß	3000	875
HRD-LM-WW-W-PT	<b>37076</b>	32	3000	raster	X60/Y60	weiß	4000	875
HRD-LH-WW-W-PT	<b>37077</b>	42	3000	raster	X60/Y60	weiß	4950	875
HRD-LL-WW-B-PT	<b>37081</b>	23	3000	raster	X60/Y60	schwarz	2650	875
HRD-LM-WW-B-PT	<b>37082</b>	32	3000	raster	X60/Y60	schwarz	3550	875
HRD-LH-WW-B-PT	<b>37083</b>	42	3000	raster	X60/Y60	schwarz	4350	875
HRD-LL-WN-W-PT	<b>37087</b>	23	3500	raster	X60/Y60	weiß	3050	875
HRD-LM-WN-W-PT	<b>37088</b>	32	3500	raster	X60/Y60	weiß	4100	875
HRD-LH-WN-W-PT	<b>37089</b>	42	3500	raster	X60/Y60	weiß	5050	875
HRD-LL-WN-B-PT	<b>37093</b>	23	3500	raster	X60/Y60	schwarz	2700	875
HRD-LM-WN-B-PT	<b>37094</b>	32	3500	raster	X60/Y60	schwarz	3650	875
HRD-LH-WN-B-PT	<b>37095</b>	42	3500	raster	X60/Y60	schwarz	4500	875
HRD-LL-NW-W-PT	<b>37099</b>	23	4000	raster	X60/Y60	weiß	3150	875
HRD-LM-NW-W-PT	<b>37100</b>	32	4000	raster	X60/Y60	weiß	4200	875
HRD-LH-NW-W-PT	<b>37101</b>	42	4000	raster	X60/Y60	weiß	5150	875
HRD-LL-NW-B-PT	<b>37105</b>	23	4000	raster	X60/Y60	schwarz	2800	875
HRD-LM-NW-B-PT	<b>37106</b>	32	4000	raster	X60/Y60	schwarz	3750	875
HRD-LH-NW-B-PT	<b>37107</b>	42	4000	raster	X60/Y60	schwarz	4600	875

- Gehäusematerial: Stahl, Kunststoff
- Abdeckungsmaterial: Kunststoff



## HIERRO

### LED-Longfieldleuchte



HRD-LL-WW-W-PT



HRD-LM-WW-W-PT



HRD-LH-WW-W-PT



HRD-LL-WW-B-PT



HRD-LM-WW-B-PT



HRD-LH-WW-B-PT



HRD-LL-WN-W-PT



HRD-LM-WN-W-PT



HRD-LH-WN-W-PT



HRD-LL-WN-B-PT



HRD-LM-WN-B-PT



HRD-LH-WN-B-PT



HRD-LL-NW-W-PT



HRD-LM-NW-W-PT



HRD-LH-NW-W-PT



HRD-LL-NW-B-PT

## HIERRO


### LED-Longfieldleuchte



HRD-LM-NW-B-PT



HRD-LH-NW-B-PT



HRD-L-PT

