

LEDS-B RGB

LED tape



[V] 12 DC	[W] 1m = 7,2	III	Tc [K] RGB	≥15000	Hg	House
SMD	[h] 15000	Wave	0,1m	°C 5÷25	360° Φ _{use}	CE
EAC	UK CA	Recycle				



LEDS-B 7.2W/M IP00RGB



IP



Model	Power [W]	Beam angle [lm]	Width [mm]	Height [mm]	Length [m]
LEDS-B 7.2W/M IP00RGB	24530	0,5m = 3,6	0,5m = 65	00	5000
LEDS-B 7.2W/M IP54RGB	24532	0,5m = 3,6	0,5m = 65	54	5000
LEDS-B 7.2W/M IP65RGB	24531	0,5m = 3,6	0,5m = 65	65	5000

Kanlux LEDS-B RGB are modern strips of decorative character. Perfect for home use where they can create unique arrangements limited by our imagination only. They are characterised by high flexibility, good adhesion and high durability. Depending on the place in which we want to add more light or which we wish to highlight, we can choose the lighting colour suiting our preferences.

LEDS-B RGB

LED tape




LEDS-B 7.2W/M IP00RGB



LEDS-B 7.2W/M IP54RGB



LEDS-B 7.2W/M IP65RGB



LEDS-B 7,2 W-M PI00 RGB;
IP65RGB; IP54RGB

LEDS-B RGB

LED tape

Accessories

19036 CONNECTOR RGB 10-CP LED band connector, CONNECTOR RGB 10-CP (19036)



19037 CONNECTOR RGB 10-CPC LED band connector, CONNECTOR RGB 10-CPC (19037)



19038 CONNECTOR RGB 10 LED band connector, CONNECTOR RGB 10 (19038)



22140 CONTROLLER LED RGB-RF Controller RGB + remote control, CONTROLLER LED RGB-RF (22140)

