

GRL

String lights



[V] 220-240 AC	[Hz] 50				IP 44	
 -20÷40		 1.5	CE	EAC	UK CA	



GRL 6M5E27-B



GRL 6M5E27-B	35750	5 x max 10	LED	E27	black
GRL 11M10E27-B	35754	10 x max 10	LED	E27	black
GRL 15M15E27-B	35758	15 x max 10	LED	E27	black

The Kanlux GRL light string festoon lights is a way to quickly arrange lighting inside and outside the house. There are three lengths of string lightss to choose from: 5, 11 and 15 meters. Thanks to the feed-through power supply, you can connect several string lights together and create an installation up to 150 meters long. For string lightss, we recommend Kanlux ST45 LED 0.5W light sources. Kanlux GRL string lights are distinguished by high-quality, safe 1.5mm² cable.


- Connection type: Cable terminated with a plug
- Wire type: H07RN-F




GRL 6M5E27-B




GRL 11M10E27-B




GRL 15M15E27-B



GRL 6M5E27-B




GRL 11M10E27-B



GRL 15M15E27-B

GRL

String lights



ACCESSORIES:

26046 ST45 LED 0,5W E27-NW

A light source dedicated to Kanlux GRL garlands, (26046)



26045 ST45 LED 0,5W E27-WW

A light source dedicated to Kanlux GRL garlands, (26045)

