

## OFIS RST LED P1

Recessed - Mounted LED Office Fixture



|                |          |              |           |                 |              |  |
|----------------|----------|--------------|-----------|-----------------|--------------|--|
| <br>220-240 AC | <br>50   | <br>≥30000   | <br>50000 | <br>≤3x MacAdam | <br>Ra<br>80 |  |
|                |          | <br>IP<br>20 |           | <br>5÷25        |              |  |
| <br>1.5÷2.5    | <br>0,5m |              |           |                 |              |  |



OS-H5D-NW-RST-B-P1



|                    | [W]          | [lm] | Tc [K] | TYPE | [°]    | Color |       |
|--------------------|--------------|------|--------|------|--------|-------|-------|
| OS-H5D-NW-RST-B-P1 | <b>35968</b> | 49W  | 5600   | 4000 | louvre | 50    | black |
| OS-H5D-NW-RST-W-P1 | <b>35840</b> | 49W  | 6300   | 4000 | louvre | 50    | white |
| OS-H5D-WN-RST-B-P1 | <b>36144</b> | 49W  | 5600   | 3500 | louvre | 50    | black |
| OS-H5D-WN-RST-W-P1 | <b>36080</b> | 49W  | 6300   | 3500 | louvre | 50    | white |
| OS-H5D-WW-RST-B-P1 | <b>35952</b> | 49W  | 5600   | 3000 | louvre | 50    | black |
| OS-H5D-WW-RST-W-P1 | <b>35824</b> | 49W  | 6300   | 3000 | louvre | 50    | white |
| OS-H8D-NW-RST-B-P1 | <b>36000</b> | 49W  | 5600   | 4000 | louvre | 80    | black |
| OS-H8D-NW-RST-W-P1 | <b>35872</b> | 49W  | 6300   | 4000 | louvre | 80    | white |
| OS-H8D-WN-RST-B-P1 | <b>36160</b> | 49W  | 5600   | 3500 | louvre | 80    | black |
| OS-H8D-WN-RST-W-P1 | <b>36096</b> | 49W  | 6300   | 3500 | louvre | 80    | white |
| OS-H8D-WW-RST-B-P1 | <b>35984</b> | 49W  | 5600   | 3000 | louvre | 80    | black |
| OS-H8D-WW-RST-W-P1 | <b>35856</b> | 49W  | 6300   | 3000 | louvre | 80    | white |
| OS-L5D-NW-RST-B-P1 | <b>35960</b> | 31W  | 3800   | 4000 | louvre | 50    | black |
| OS-L5D-NW-RST-W-P1 | <b>35832</b> | 31W  | 4300   | 4000 | louvre | 50    | white |
| OS-L5D-WN-RST-B-P1 | <b>36136</b> | 31W  | 3800   | 3500 | louvre | 50    | black |
| OS-L5D-WN-RST-W-P1 | <b>36072</b> | 31W  | 4300   | 3500 | louvre | 50    | white |

## OFIS RST LED P1

### Recessed - Mounted LED Office Fixture



| Model              | Price        | Power (W) | Light Output (lm) | Color Temp (K) | Type   | Beam Angle (°) | Color |
|--------------------|--------------|-----------|-------------------|----------------|--------|----------------|-------|
| OS-L5D-WW-RST-B-P1 | <b>35944</b> | 31W       | 3800              | 3000           | louvre | 50             | black |
| OS-L5D-WW-RST-W-P1 | <b>35816</b> | 31W       | 4300              | 3000           | louvre | 50             | white |
| OS-L8D-NW-RST-B-P1 | <b>35992</b> | 31W       | 3800              | 4000           | louvre | 80             | black |
| OS-L8D-NW-RST-W-P1 | <b>35864</b> | 31W       | 4300              | 4000           | louvre | 80             | white |
| OS-L8D-WN-RST-B-P1 | <b>36152</b> | 31W       | 3800              | 3500           | louvre | 80             | black |
| OS-L8D-WN-RST-W-P1 | <b>36088</b> | 31W       | 4300              | 3500           | louvre | 80             | white |
| OS-L8D-WW-RST-B-P1 | <b>35976</b> | 31W       | 3800              | 3000           | louvre | 80             | black |
| OS-L8D-WW-RST-W-P1 | <b>35848</b> | 31W       | 4300              | 3000           | louvre | 80             | white |
| OS-M5D-NW-RST-B-P1 | <b>35964</b> | 39W       | 4800              | 4000           | louvre | 50             | black |
| OS-M5D-NW-RST-W-P1 | <b>35836</b> | 39W       | 5400              | 4000           | louvre | 50             | white |
| OS-M5D-WN-RST-B-P1 | <b>36140</b> | 39W       | 4800              | 3500           | louvre | 50             | black |
| OS-M5D-WN-RST-W-P1 | <b>36076</b> | 39W       | 5400              | 3500           | louvre | 50             | white |
| OS-M5D-WW-RST-B-P1 | <b>35948</b> | 39W       | 4800              | 3000           | louvre | 50             | black |
| OS-M5D-WW-RST-W-P1 | <b>35820</b> | 39W       | 5400              | 3000           | louvre | 50             | white |
| OS-M8D-NW-RST-B-P1 | <b>35996</b> | 39W       | 4800              | 4000           | louvre | 80             | black |
| OS-M8D-NW-RST-W-P1 | <b>35868</b> | 39W       | 5400              | 4000           | louvre | 80             | white |
| OS-M8D-WN-RST-B-P1 | <b>36156</b> | 39W       | 4800              | 3500           | louvre | 80             | black |
| OS-M8D-WN-RST-W-P1 | <b>36092</b> | 39W       | 5400              | 3500           | louvre | 80             | white |
| OS-M8D-WW-RST-B-P1 | <b>35980</b> | 39W       | 4800              | 3000           | louvre | 80             | black |
| OS-M8D-WW-RST-W-P1 | <b>35852</b> | 39W       | 5400              | 3000           | louvre | 80             | white |
| OS-S5D-NW-RST-B-P1 | <b>35956</b> | 22W       | 2800              | 4000           | louvre | 50             | black |
| OS-S5D-NW-RST-W-P1 | <b>35828</b> | 22W       | 3200              | 4000           | louvre | 50             | white |
| OS-S5D-WN-RST-B-P1 | <b>36132</b> | 22W       | 2800              | 3500           | louvre | 50             | black |
| OS-S5D-WN-RST-W-P1 | <b>36068</b> | 22W       | 3200              | 3500           | louvre | 50             | white |
| OS-S5D-WW-RST-B-P1 | <b>35940</b> | 22W       | 2800              | 3000           | louvre | 50             | black |
| OS-S5D-WW-RST-W-P1 | <b>35812</b> | 22W       | 3200              | 3000           | louvre | 50             | white |
| OS-S8D-NW-RST-B-P1 | <b>35988</b> | 22W       | 2800              | 4000           | louvre | 80             | black |
| OS-S8D-NW-RST-W-P1 | <b>35860</b> | 22W       | 3200              | 4000           | louvre | 80             | white |
| OS-S8D-WN-RST-B-P1 | <b>36148</b> | 22W       | 2800              | 3500           | louvre | 80             | black |
| OS-S8D-WN-RST-W-P1 | <b>36084</b> | 22W       | 3200              | 3500           | louvre | 80             | white |
| OS-S8D-WW-RST-B-P1 | <b>35972</b> | 22W       | 2800              | 3000           | louvre | 80             | black |
| OS-S8D-WW-RST-W-P1 | <b>35844</b> | 22W       | 3200              | 3000           | louvre | 80             | white |

- 5 years Warranty under the terms of the warranty statement, available on our website
- Enclosure material: Metal
- Lampshade material: plastic

## OFIS RST LED P1


Recessed - Mounted LED Office Fixture



OS RST B P1



OS RST W P1



OS RST P1

