


Kanlux



Kanlux AL-MS-NT








- 5 years Warranty under the terms of the warranty statement, available on our website



 220-240 AC	 50	 ≥30000	 50000			 IP 20	 5÷25	 Ra 80	
 1.5÷2.5		 0,5m							



AL-MS-NW-MAT-B-NT

								
AL-MS-NW-MAT-B-NT	35592	18	4000	matt	X85/Y95	black	2400	1140
AL-MS-NW-MAT-S-NT	35596	18	4000	matt	X85/Y95	silver	2400	1140
AL-MS-NW-MAT-W-NT	35588	18	4000	matt	X85/Y95	white	2400	1140
AL-MS-NW-MPR-B-NT	35594	18	4000	microprismatic	X75/Y90	black	2250	1140
AL-MS-NW-MPR-S-NT	35598	18	4000	microprismatic	X75/Y90	silver	2250	1140
AL-MS-NW-MPR-W-NT	35590	18	4000	microprismatic	X75/Y90	white	2250	1140
AL-MS-NW-RST-B-NT	38040	16	4000	louvre	X85/Y85	black	2300	1140
AL-MS-NW-RST-W-NT	38041	16	4000	louvre	X85/Y85	white	2600	1140
AL-MS-WW-MAT-B-NT	35593	18	3000	matt	X85/Y95	black	2140	1140
AL-MS-WW-MAT-S-NT	35597	18	3000	matt	X85/Y95	silver	2140	1140
AL-MS-WW-MAT-W-NT	35589	18	3000	matt	X85/Y95	white	2140	1140
AL-MS-WW-MPR-B-NT	35595	18	3000	microprismatic	X75/Y90	black	1980	1140
AL-MS-WW-MPR-S-NT	35599	18	3000	microprismatic	X75/Y90	silver	1980	1140
AL-MS-WW-MPR-W-NT	35591	18	3000	microprismatic	X75/Y90	white	1980	1140
AL-MS-WW-RST-B-NT	38042	16	3000	louvre	X85/Y85	black	2100	1140
AL-MS-WW-RST-W-NT	38043	16	3000	louvre	X85/Y85	white	2400	1140
AL-MS5D-NW-RST-B-NT	38044	16	4000	louvre	X60/Y60	black	2300	1140
AL-MS5D-NW-RST-W-NT	38045	16	4000	louvre	X60/Y60	white	2600	1140
AL-MS5D-WW-RST-B-NT	38046	16	4000	louvre	X60/Y60	black	2100	1140
AL-MS5D-WW-RST-W-NT	38047	16	4000	louvre	X60/Y60	white	2400	1140



AL-MS-MAT-B-NT



AL-MS-MAT-S-NT



AL-MS-MAT-W-NT



AL-MS-MPR-B-NT



AL-MS-MPR-S-NT






AL-MS-MPR-W-NT



AL-MS-RST-B-NT



AL-MS-RST-W-NT



Accessories

32540



ALIN CORD 1F-W

Power supply terminal for ALIN luminaires and tracks, 1-phase, white, 150 cm

32541



ALIN CORD 1F-B

Power supply terminal for ALIN luminaires and tracks, 1-phase, black, 150 cm

32542



ALIN CORD 1F-SR

Power supply terminal for ALIN luminaires and tracks, 1-phase, silver 150 cm

07871



ROPE-NT 150 SINGLE

ROPE-NT 150 SINGLE steel rope (single) for suspending fittings, 2 pcs. in a set

Date of issue: 04.11.2024, 14:35

We reserve the right to make technical changes. The data contained in this material are not legally binding.

Photometry: the results obtained from testing were from a specific sample.

