

BENO ECO

Ceiling-mounted LED light fitting



 220-240 AC	 50	 110	 ≥30000	 30000	 ellipse ≤ 6x Mackdam	 Ra 80
 Hg	 SMD			 IP 65	 -20÷45	
	 SMD	 0.5÷1.5	 0,5m			



BENO ECO 12W CCT O W

BENO ECO 12W CCT O W 38380	12	1200 (WW) 1300 (NW) 1250 (CW)	3000 4000 6500	white
BENO ECO 12W CCT O B 38381	12	1050 (WW) 1150 (NW) 1100 (CW)	3000 4000 6500	black
BENO ECO 20W CCT O W 38382	20	1850 (WW) 2000 (NW) 1900 (CW)	3000 4000 6500	white
BENO ECO 20W CCT O B 38383	20	1450 (WW) 1600 (NW) 1500 (CW)	3000 4000 6500	black
BENO ECO 30W CCT O W 38384	30	2850 (WW) 3150 (NW) 3050 (CW)	3000 4000 6500	white
BENO ECO 30W CCT O B 38385	30	2150 (WW) 2400 (NW) 2300 (CW)	3000 4000 6500	black
BENO ECO 40W CCT O W 38386	40	4050 (WW) 4600 (NW) 4450 (CW)	3000 4000 6500	white
BENO ECO 40W CCT O B 38387	40	3800 (WW) 4050 (NW) 3900 (CW)	3000 4000 6500	black

- Enclosure material: PP

Date of issue: 02.08.2024, 14:30

We reserve the right to make technical changes. The data contained in this material are not legally binding.

BENO ECO

Ceiling-mounted LED light fitting

- Lampshade material: PP



BENO ECO 12W CCT O W



BENO ECO 12W CCT O B



BENO ECO 20W CCT O W



BENO ECO 20W CCT O B



BENO ECO 30W CCT O W



BENO ECO 30W CCT O B




BENO ECO 40W CCT O W




BENO ECO 40W CCT O B

BENO ECO


Ceiling-mounted LED light fitting




BENO ECO 12W CCT O W




BENO ECO 12W CCT O B




BENO ECO 20W CCT O W




BENO ECO 20W CCT O B




BENO ECO 30W CCT O W



BENO ECO 30W CCT O B



BENO ECO 40W CCT O W



BENO ECO 40W CCT O B