

AKVO IP44

Luminaire pour murs et plafonds LED

IP
44



[V] 220-240 AC	[Hz] 50	15000	25000 ^[h]	Ra 80	SMD	
	IP 44	5+30 ^[°C]			0,75-1,5 ^[mm²]	0,1m
CE	EAC	UK CA				



	[W]		[lm]	Tc [K]	
AKVO IP44 15W-NW-W	36659	15	blanc	1600	4000
AKVO IP44 15W-NW-B	36660	15	noir	1600	4000
AKVO IP44 15W-NW-C	36661	15	chrome	1600	4000
AKVO IP44 20W-NW-W	36662	20	blanc	2300	4000
AKVO IP44 20W-NW-B	36663	20	noir	2300	4000
AKVO IP44 20W-NW-C	36664	20	chrome	2300	4000
AKVO IP44 23W-NW-W	36665	23	blanc	2750	4000
AKVO IP44 23W-NW-B	36666	23	noir	2750	4000
AKVO IP44 23W-NW-C	36667	23	chrome	2750	4000

- Matériau du boîtier: alliage en aluminium
- Matériau du diffuseur: matériau plastique

AKVO IP44

Luminaire pour murs et plafonds LED



AKVO IP44 15W-NW-W



AKVO IP44 15W-NW-B



AKVO IP44 15W-NW-C



AKVO IP44 20W-NW-W



AKVO IP44 20W-NW-B



AKVO IP44 20W-NW-C



AKVO IP44 23W-NW-W




AKVO IP44 23W-NW-B

AKVO IP44


Luminaire pour murs et plafonds LED




AKVO IP44 23W-NW-C



AKVO IP44 15W



AKVO IP44 20W



AKVO IP44 23W