

HIERRO

Plafoniera LED lineare










 220-240 AC	 50	 ≥30000	 50000	 Ra 80	
 DALI		 IP 20		 5÷25	
 0,5÷2,5		 0,5m			



HRD-LL-WW-W-PT

HIERRO

Plafoniera LED lineare

							
	[W]	Tc [K]	TYPE	[°]		[m]	[mm]
HRD-LL-WW-W-PT	37075	23	3000	raster	X60/Y60	bianco	3000 875
HRD-LM-WW-W-PT	37076	32	3000	raster	X60/Y60	bianco	4000 875
HRD-LH-WW-W-PT	37077	42	3000	raster	X60/Y60	bianco	4950 875
HRD-LL-WW-B-PT	37081	23	3000	raster	X60/Y60	nero	2650 875
HRD-LM-WW-B-PT	37082	32	3000	raster	X60/Y60	nero	3550 875
HRD-LH-WW-B-PT	37083	42	3000	raster	X60/Y60	nero	4350 875
HRD-LL-WN-W-PT	37087	23	3500	raster	X60/Y60	bianco	3050 875
HRD-LM-WN-W-PT	37088	32	3500	raster	X60/Y60	bianco	4100 875
HRD-LH-WN-W-PT	37089	42	3500	raster	X60/Y60	bianco	5050 875
HRD-LL-WN-B-PT	37093	23	3500	raster	X60/Y60	nero	2700 875
HRD-LM-WN-B-PT	37094	32	3500	raster	X60/Y60	nero	3650 875
HRD-LH-WN-B-PT	37095	42	3500	raster	X60/Y60	nero	4500 875
HRD-LL-NW-W-PT	37099	23	4000	raster	X60/Y60	bianco	3150 875
HRD-LM-NW-W-PT	37100	32	4000	raster	X60/Y60	bianco	4200 875
HRD-LH-NW-W-PT	37101	42	4000	raster	X60/Y60	bianco	5150 875
HRD-LL-NW-B-PT	37105	23	4000	raster	X60/Y60	nero	2800 875
HRD-LM-NW-B-PT	37106	32	4000	raster	X60/Y60	nero	3750 875
HRD-LH-NW-B-PT	37107	42	4000	raster	X60/Y60	nero	4600 875

- Materiale del corpo: metallo, plastica
- Diffusore: plastica



HIERRO

Plafoniera LED lineare



HRD-LL-WW-W-PT



HRD-LM-WW-W-PT



HRD-LH-WW-W-PT



HRD-LL-WW-B-PT



HRD-LM-WW-B-PT



HRD-LH-WW-B-PT



HRD-LL-WN-W-PT



HRD-LM-WN-W-PT



HRD-LH-WN-W-PT



HRD-LL-WN-B-PT



HRD-LM-WN-B-PT



HRD-LH-WN-B-PT



HRD-LL-NW-W-PT



HRD-LM-NW-W-PT



HRD-LH-NW-W-PT



HRD-LL-NW-B-PT

HIERRO


Plafoniera LED lineare



HRD-LM-NW-B-PT



HRD-LH-NW-B-PT



HRD-L-PT

