


KRD6-2

Wyłącznik różnicowo-prądowy, 2P



KRD6-2/25/30



	[V]	In [A]	IΔn [mA]	Typ zabezpieczenia różnicowoprądowego	
KRD6-2/25/30	23180	230 AC	25 30	AC	2
KRD6-2/40/30	23181	230 AC	40 30	AC	2
KRD6-2/63/30	23182	230 AC	63 30	AC	2
KRD6-2/16/10	23186	230 AC	16 10	AC	2
KRD6-2/25/100	23187	230 AC	25 100	AC	2
KRD6-2/25/30-A	23188	230 AC	25 30	A	2
KRD6-2/40/30-A	23189	230 AC	40 30	A	2
KRD6-2/16/10-A	23194	230 AC	16 10	A	2
KRD6-2/25/300	23195	230 AC	25 300	AC	2
KRD6-2/40/100	23203	230 AC	40 100	AC	2
KRD6-2/63/100	23204	230 AC	63 100	AC	2
KRD6-2/25/100-A	23225	230 AC	25 100	A	2
KRD6-2/40/100-A	23226	230 AC	40 100	A	2

Wyłącznik różnicowo-prądowy: służy do dodatkowej ochrony przeciwporażeniowej, przeznaczony do pracy w obwodach prądu sinusoidalnie zmiennego (typ AC) oraz prądu sinusoidalnie przemiennego i pulsującego ze składową stałą (typ A).

- Certyfikat VDE: Numer 40051582

KRD6-2

Wyłącznik różnicowo-prądowy, 2P



KRD6-2/25/30



KRD6-2/40/30



KRD6-2/63/30



KRD6-2/16/10



KRD6-2/25/100



KRD6-2/25/30-A



KRD6-2/40/30-A



KRD6-2/16/10-A



KRD6-2/25/300



KRD6-2/40/100



KRD6-2/63/100




KRD6-2/25/100-A

KRD6-2


Wyłącznik różnicowo-prądowy, 2P




KRD6-2/40/100-A




KRD6-2/25/30




KRD6-2/40/30




KRD6-2/63/30




KRD6-2/16/10




KRD6-2/25/100



KRD6-2/25/30-A




KRD6-2/40/30-A




KRD6-2/16/10-A

KRD6-2


Wyłącznik różnicowo-prądowy, 2P




KRD6-2/25/300




KRD6-2/40/100



KRD6-2/63/100



KRD6-2/25/100-A



KRD6-2/40/100-A